

**To:** "David\_Nawi@ios.doi.gov" [David\_Nawi@ios.doi.gov]; aren  
Schwinn/R9/USEPA/US@EPA; Erin Foresman/R9/USEPA/US@EPA; "Pldlof@usbr.gov"  
[Pldlof@usbr.gov]; rin Foresman/R9/USEPA/US@EPA; "Pldlof@usbr.gov" [Pldlof@usbr.gov];  
Pldlof@usbr.gov" [Pldlof@usbr.gov]; James.Monroe@sol.doi.gov"  
[James.Monroe@sol.doi.gov]; Kaylee.Allen@sol.doi.gov"  
[Kaylee.Allen@sol.doi.gov]; Pldlof@usbr.gov" [Pldlof@usbr.gov]; om  
Hagler/R9/USEPA/US@EPA; "Michael.Tucker@NOAA.GOV" [Michael.Tucker@NOAA.GOV];  
Michael.Tucker@NOAA.GOV" [Michael.Tucker@NOAA.GOV]; Maria.Rea@noaa.gov"  
[Maria.Rea@noaa.gov]; Nepstad, Michael G SPK"  
[Michael.G.Nepstad@usace.army.mil]; Robershotte, Paul J SPD"  
[Paul.J.Robershotte@usace.army.mil]; FBarajas@usbr.gov" [FBarajas@usbr.gov]  
**From:** "Jewell, Michael S SPK"  
**Sent:** Wed 5/16/2012 4:14:07 PM  
**Subject:** RE: Call Tuesday 2:00 p.m. (UNCLASSIFIED)  
[smime.p7s](#)

Classification: UNCLASSIFIED  
Caveats: NONE

I wanted to apologize to all for not making the call. I had to take care of some personal stuff yesterday afternoon. Mike N and I caught up a little this morning. I can tell you we are considering putting a whitepaper together detailing how we intend to use the document, with the appropriate caveats of course.

Michael S Jewell  
Chief, Regulatory Division  
US Army Corps of Engineers, Sacramento District

-----Original Message-----

From: Nawi, David [mailto:David\_Nawi@ios.doi.gov]  
Sent: Thursday, May 10, 2012 5:41 PM  
To: Nepstad, Michael G SPK; Robershotte, Paul J SPD; Jewell, Michael S SPK; Barajas, Federico  
Cc: Schwinn.Karen@epamail.epa.gov; Foresman.Erin@epamail.epa.gov; Idlof, Patricia S (Patti); Monroe, Jim; Allen, Kaylee; Idlof, Patricia S (Patti); Hagler.Tom@epamail.epa.gov; 'Michael Tucker'; Maria Rea  
Subject: Call Tuesday 2:00 p.m.

Based on the response below, let's schedule a call for no more than 30 minutes for 2:00 p.m. on Tuesday. I think we will have a critical mass of participants. Please include anyone not on this email who would benefit from being on the call.

Call-in #: 877-686-1020  
Passcode: 655850#

-----Original Message-----

From: Nepstad, Michael G SPK [mailto:Michael.G.Nepstad@usace.army.mil]  
Sent: Thursday, May 10, 2012 11:05 AM  
To: Nawi, David; Robershotte, Paul J SPD; Jewell, Michael S SPK  
Cc: Schwinn.Karen@epamail.epa.gov; Foresman.Erin@epamail.epa.gov; Idlof, Patricia S (Patti); Monroe, Jim; Allen, Kaylee; Idlof, Patricia S (Patti); Hagler.Tom@epamail.epa.gov

Subject: RE: BDCP NEPA (UNCLASSIFIED)

Classification: UNCLASSIFIED

Caveats: NONE

I'm out Friday and Monday, and Michael Jewell is at a mitigation banking conference today and tomorrow. 2pm on Tuesday would work for both of us.

Michael G. Nepstad  
Deputy Chief, Regulatory Division  
US Army Corps of Engineers, Sacramento District  
1325 J Street, Room 1350  
Sacramento, California 95814-2922  
(916) 557-7262 Fax:(916) 930-9506  
michael.g.nepstad@usace.army.mil

-----Original Message-----

From: Nawi, David [mailto:David\_Nawi@ios.doi.gov]  
Sent: Thursday, May 10, 2012 10:49 AM  
To: Robershotte, Paul J SPD; Jewell, Michael S SPK; Nepstad, Michael G SPK  
Cc: Schwinn.Karen@epamail.epa.gov; Foresman.Erin@epamail.epa.gov; Idlof, Patricia S (Patti); Monroe, Jim; Allen, Kaylee; Idlof, Patricia S (Patti); Hagler.Tom@epamail.epa.gov  
Subject: BDCP NEPA

I think it would be very helpful if we can have a call soon to make sure we all have a common understanding about the scope of the BDCP EIS in relation to the Corps permitting process (section 404 and/or section 408). As you are probably aware from recent newspaper articles, a lot of attention is being paid to the BDCP schedule. I would like to make sure I understand everything and that we are all on the same page.

Would 2:00 p.m. tomorrow (Friday) work for enough of us to make the call doable?

David Nawi

Senior Advisor to the Secretary

U.S. Department of the Interior

650 Capitol Mall Suite 8-300

Sacramento, CA 95814

Tel: (916) 930-5635

Cell: (916) 212-6063

Classification: UNCLASSIFIED  
Caveats: NONE

Classification: UNCLASSIFIED  
Caveats: NONE